



DORCHESTER COUNTY
PUBLIC WORKS DEPARTMENT
2120 EAST MAIN STREET, DORCHESTER, SC 29437

Closeout Requirements

1. Closeout Application – Filled out and signed
2. As-built – Full sized original and .pdf submitted with application for review. Once a final as-built is accepted both a PDF and DWG file shall be submitted along with the final full size plan sheet(s) stamped (COA and RLS), signed, and dated by a SC Registered Land Surveyor.

As-Built Survey Requirements

- Include grades/contours/depths for pond(s) and grades/contours of site draining to pond
- Elevations and dimensions of all stormwater structures, including:
 - Pipe and orifice inverts and diameters
 - Weir elevations and dimensions
 - Riser dimensions and elevations
 - Emergency spillway dimensions and elevations
 - Locations and inverts for all pipes discharging into the pond
 - Stormbox size, bottom and rim
- Match road elevations to the plan profile elevations

If the elevations or dimensions of the structures listed above do not match those used in the approved plans, certification statement signed by the project's Registered is required. Under some circumstances a revised pond routing calculations will be asked to be submitted.

All As-Builts must be prepared by a South Carolina Licensed Land surveyor and must be provided for all previously approved detention ponds that will receive flows from new drainage areas. For As-Builts that do not match the approved plans on record, the project's Registered Engineer must submit a certification statement indicating that the pond, as built, will function within all applicable standards provided. As-Builts that drastically differ from approved plans may be required to submit a new analysis of the pond routing.